

How to configure smartermail account in Mac OS X Mail using POP3?

This article is to guide you how to setup smartermail using Mac OS X Mail.

- 1. Step 1
 - Open Finder and launch the Mail application.
- 2. Step 2







- 3. Step 3
 - Select Add Other Mail Account and click the Continue button.

Choose a mail account to add		
ICloud		
E Exchange		
○ Google [*]		
○ YAHOO!		
○ Aol.		
Add Other Mail Account		
? Cancel Continue	?	



- 4. Step 4
 - Enter your **Full Name, Email Address** and **Password**. When finished, click the **Create** button.

Add a Mail Account

To get started, provide the following information:

	Full Name:	user1
	Email Address:	user1@domain.com
	Password:	•••••
Cano	cel	Create

- 5. Step 5
 - After receiving a message that the **Account must be manually configured** click the **Next** button.

Add a Mail Account			
To get started, provide the following information:			
Full Name:	user1 tu nombre		
Email Address:	user1@domain.com		
Password:	•••••		
Account must be manually configured			
Cancel	Next		



• Supply the **Incoming Mail Server Info** using the table below as a guide. Click the **Next** button when finished.

Parameter	Value
Mail Server	pop3.domain.com
Username	Your complete e-mail address
Password	Your password for the e-mail address

Incoming Mail Server Info

	Account Type:	
	Mail Server:	pop3.domain.com
	User Name:	user1@domain.com
l	Password:	•••••
	J	Back



- 7. Step 7
 - After receiving the notice **that Additional account information required**, click the **Next** button.

Incoming Mail Server Info		
Account Type:	IMAP POP	
Mail Server:	pop3.domain.com	
User Name:	user1@domain.com	
Password:	•••••	
Additional account information required		
Cancel	Back Next	



• Supply the **additional Incoming Mail Server Info** using the table below as a guide. Click the **Next** button when finished.

Parameter	Value
Port	110
Use SSL	None
Authentication	Password

Incoming Mail Server Info

	Path Prefix:	Optional	
	Port:	110 Use SSL	
	Authentication:	Password	٢
Canc	el	Back	Next



• Supply the **Outgoing Mail Server Info** using the table below as a guide. Click the **Create** button when finished.

Parameter	Value
SMTP server	smtp.domain.com
Username	Your complete e-mail address
Password	Your password for the e-mail address

Outgoing Mail Server Info

SMTP Server:	smtp.domain.com
User Name:	user1@domain.com
Password:	•••••
Cancel	Back



• After receiving the notice that **Additional account information required**, click the **Next** button.

Outgoing Mail Server Info			
SMTP Server:	smtp.domain.com		
User Name:	user1@domain.com		
Password:	•••••		
Additional account information required			
Cancel	Back Next		



• Supply the **additional Outgoing Mail Server Info** using the table below as a guide. Click the **Next** button when finished.

Paramatar	Value
	Value
Port	587
Use SSL	None
Authentication	Password

Outgoing Mail Server Info

	Port:	587 Use SSL	
	Authentication:	Password 🗘	
Cancel		Back Create	



• OS X Mail will connect to your account and begin downloading your mail to your inbox.

